



44mm SINGLE REBATE COMPOSITE DOOR

*Entrance*  
FORTY FOUR

**ORDER FORMS**



**HALLMARK**  
PANELS LIMITED





**Maximum and Minimum Frame Sizes**


(Without add ons)

**Whs Frame Sizes**

	No Cill				Inc Cill				
	Minimum		Maximum		Minimum		Maximum		
	Width	Height	Width	Height	Width	Height	Width	Height	
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109	
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill				
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127	
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139	
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155	
<b>Side Panel Inc 6mm Ali Coupler</b>									
72mm Standard pvc	450	2015	470	2125	450	2045	470	2155	

**Side panel minimum and maximum frame sizes 450mm—470mm including coupler.**

*Aprilla Two*



**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**

Hallmark Panels Ltd  
Valletta House, Valletta Street  
Hedon Road, Hull, HU9 5NP  
TEL 01482 781111, Fax 01482 701185  
Sales Hotline 01482 703222


Invoice Address: \_\_\_\_\_  
 Delivery Address: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Date Required: \_\_\_\_\_  
 Order No: \_\_\_\_\_  
 Ref: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Tel No: \_\_\_\_\_

**1 Door Style**  
 Panel Type: **Arnage Two**  **X**  **Two**  
 Glass Design: \_\_\_\_\_  
 Backing Glass: \_\_\_\_\_  
 Spacer Bar Colour: \_\_\_\_\_  
 Silver Standard subject to design

**4 Outer Frame**  **X**  
 System 10 (Chamfered)  
 Rustique (Ovolo)  
 Or Write Colour Bonded Colour Below: \_\_\_\_\_  
 Rose / Rose  
 Oak / White  
 Rose / White

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable.**

**Stained Doors lead time is 10 working days**



**IMPORTANT NOTE**  
 Open out doors are not PAS 23 or PAS24 compliant  
**ALL SIDELIGHTS SUPPLIED SEPARATE AS STANDARD WITH 6MM COUPLER AND COVER-STRIP UNLESS STATED IN SPECIAL INSTRUCTIONS. TOPLIGHTS ARE SUPPLIED IN ALL IN ONE FRAME AS STANDARD.**

**2 External**  
 Door Colour:  **X**  
 White  
 Red  
 Black  
 Green  
 Blue  
 Factory Rosewood  
 Factory Oak  
 Hand Stained Rosewood  
 Hand Stained Oak

**2a Internal Door Colour:**  
 White (unless otherwise specified in the box below)  
 Note Internal colours are either stained or colour-bonded  
 Special Instructions if required: \_\_\_\_\_

**3 Drip Bar**  
 Drip bar matched to door if not specified  
 Gold  
 Mill  
 White  
 Black  
 Red  
 Green  
 Blue  
 Rose  
 Oak

**5 Accessories**  
 Hinge (standard White)  
 Lever/Lever  
 Lever/Pad  
 Yale Lever/Lever Spilt Spindle  
 Numail Letterplate  
 Klocker Urn  
 Urn With Spyhole  
 Slimline Urn  
 Lions Head  
 Door Chain  
 Slimline Urn With Spyhole  
 Spyhole (Separate)  
 Thumbturn  
 Hinge Bolts  
 Butt Hinge  
 Numerals \*\*  
 \*\* Supplied loose as standard

<b>5a Locks</b>	Yale Multipoint	White	Chrome	Gold	Silver
	Yale Multipoint & Nightlatch	N/A	N/A	N/A	N/A
	Entryguard	N/A	N/A	N/A	N/A
	Era 5 Mortice & Nightlatch	Not recommended as standard locking system			
	Deadbolt & Nightlatch				

**7 Side lights / Top Lights / Side panels**  
 On the drawing above mark the position of the sidelights/toplights/sidepanels

**Overall width**  
 Inc sidelights/sidepanels and/or topleights and any add ons  
 (Inc 6mm coupler deducted from sidelight unless specified)

**Overall height**  
 Inc any cills and or add ons  
 (Inc Transom deducted from topleight unless specified)

**Sidelight Toplight Side Panel**  
 Glazed  **X**  
 Unglazed \_\_\_\_\_  
 Glass Design: \_\_\_\_\_  
 Backing Glass: \_\_\_\_\_

**8 Threshold**  
 Low Threshold 56mm PVC  
 Colour  
 Ext Cill  
 Add On

Yes	No
44mm Ali	15mm Mob **
Silver	Gold
Yes 85mm	No 150mm
30mm	50mm

\*\* This is recommended to sit on a cill

Mitrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing  
 Leave Blank if None Required

**Maximum and Minimum Frame Sizes**

(Without add ons)

**Whs Frame Sizes**


	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Side Panel Inc 6mm Ali Coupler**

72mm Standard pvc	450	2015	470	2125	450	2045	470	2155
-------------------	-----	------	-----	------	-----	------	-----	------

**Side panel minimum and maximum frame sizes 450mm—470mm including coupler.**

*Arrage Two*



**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**




**Maximum and Minimum Frame Sizes**

(Without add ons)

**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Aruba One, Three or Four**



*These units can be aligned to the left, centre or right of the door*

*Unless otherwise stated glass will be aligned to the centre*

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930


**Moulded half and quarter panels are available in 28mm only**



**Maximum and Minimum Frame Sizes**

(Without add ons)

**Belize Two or Four**



**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**




**Maximum and Minimum Frame Sizes**

(Without add ons)

**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

*Carmarque Solid, Two or Four*



**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930


**Moulded half and quarter panels are available in 28mm only**



**Maximum and Minimum Frame Sizes**

(Without add ons)

*Catalina One*



**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930


**Moulded half and quarter panels are available in 28mm only**



**Maximum and Minimum Frame Sizes**

(Without add ons)

*Chimera Solid, One or Three*



**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**


	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**



**Maximum and Minimum Frame Sizes**  
(Without add ons)

*Esprit Solid or Two*



**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Side Panel Inc 6mm Ali Coupler**

72mm Standard pvc	450	2015	470	2125	450	2045	470	2155
-------------------	-----	------	-----	------	-----	------	-----	------

**Side panel minimum and maximum frame sizes 450mm—470mm including coupler.**

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**




**Maximum and Minimum Frame Sizes**

(Without add ons)

**Whs Frame Sizes**

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	822	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	822	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	822	2045	1012	2155

**Impala One**



**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard


**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**



## Mulsanne One



	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	832	1971	1012	2079	832	2001	1012	2109
MDS 25/80/150	832	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	832	1987	1012	2097	832	2017	1012	2127
56mm Low Pvc	832	1999	1012	2109	832	2029	1012	2139
70mm Standard pvc	832	2015	1012	2125	832	2045	1012	2155

### Side Panel Inc 6mm Ali Coupler

72mm Standard pvc	450	2015	470	2125	450	2045	470	2155
-------------------	-----	------	-----	------	-----	------	-----	------

**Side panel minimum and maximum frame sizes 450mm—470mm including coupler.**

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard


**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**



## Snipe One



	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	832	1971	1012	2079	832	2001	1012	2109
MDS 25/80/150	832	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	832	1987	1012	2097				
56mm Low Pvc	832	1999	1012	2109	832	2029	1012	2139
70mm Standard pvc	832	2015	1012	2125	832	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930


**Moulded half and quarter panels are available in 28mm only**



**Maximum and Minimum Frame Sizes**

(Without add ons)

*Tortola One*



	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	<b>Not Compatible with Cill</b>			
44mm Low Ali	825	1987	1012	2097	825	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	825	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	825	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**

Hallmark Panels Ltd  
Valletta House, Valletta Street  
Hedon Road, Hull, HU9 5NP  
TEL 01482 781111, Fax 01482 701185  
Sales Hotline 01482 703222


**Composite/Single Rebate 44mm Door Order Form. 70mm WHS HALO**

Invoice Address: \_\_\_\_\_  
 Delivery Address: \_\_\_\_\_  
 Date: \_\_\_\_\_  
 Date Required: \_\_\_\_\_  
 Order No: \_\_\_\_\_  
 Ref: \_\_\_\_\_  
 Contact: \_\_\_\_\_  
 Tel No: \_\_\_\_\_

**1 Door Style**  
 Panel Type:  One  Three  Tuscan  
 Glass Design: \_\_\_\_\_  
 Backing Glass: \_\_\_\_\_  
 Spacer Bar Colour: \_\_\_\_\_  
 Silver Standard subject to design

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable.**

**Stained Doors lead time is 10 working days**



**IMPORTANT NOTE**  
 Open out doors are not PAS 23 or PAS24 compliant  
 Please see minimum and maximum sizes on reverse.  
 Add ons will automatically be added up to 30mm to achieve the size requested  
 Please Mark Build Ups if Required. Using

**ALL SIDELIGHTS SUPPLIED SEPARATE AS STANDARD WITH 6MM COUPLER AND COVER-STRIP UNLESS STATED IN SPECIAL INSTRUCTIONS. TOPLIGHTS ARE SUPPLIED IN ALL IN ONE FRAME AS STANDARD.**

**7 Side lights / Top Lights / Side panels**  
 On the drawing above mark the position of the sidelights/toplights/sidepanels

**Overall width**  
 Inc sidelights/sidepanels and/or topleights and any add ons  
 (Inc 6mm coupler deducted from sidelight unless specified)

**Overall height**  
 Inc any cills and or add ons  
 (Inc Transom deducted from topleight unless specified)

**Sidelight Toplight Side Panel**  
 Glazed \_\_\_\_\_  
 Unglazed \_\_\_\_\_  
 Glass Design: \_\_\_\_\_  
 Backing Glass: \_\_\_\_\_

**8 Threshold**  
 Low Threshold 56mm PVC \_\_\_\_\_  
 Colour \_\_\_\_\_  
 Ext Cill \_\_\_\_\_  
 Add On \_\_\_\_\_  
 Yes \_\_\_\_\_ No \_\_\_\_\_  
 44mm Ali \_\_\_\_\_ 15mm Mob \*\* \_\_\_\_\_  
 Silver \_\_\_\_\_ Gold \_\_\_\_\_  
 Yes 85mm \_\_\_\_\_ No 150mm \_\_\_\_\_  
 30mm \_\_\_\_\_ 50mm \_\_\_\_\_

\*\* This is recommended to sit on a cill

**4 Outer Frame**  
 System 10 (Chamfered) \_\_\_\_\_  
 Rustique (Ovolo) \_\_\_\_\_  
 Or Write Colour Bonded Colour Below: \_\_\_\_\_  
 Rose / Rose \_\_\_\_\_  
 Oak / White \_\_\_\_\_  
 Rose / White \_\_\_\_\_

White / White	X
White Foil / White Foil	
(Rustique Only)	
Oak / Oak	
Rose / Rose	
Oak / White	
Rose / White	

**5 Accessories**  
 Hinge (standard White)  
 Lever/Lever  
 Lever/Pad  
 Yale Lever/Lever Split Spindle  
 Yale Letterplate  
 Numail Letterplate  
 Knocker Urn  
 Urn With Spyhole  
 Slimline Urn  
 Lions Head  
 Door Chain  
 Slimline Urn With Spyhole  
 Spyhole (Separate)  
 Thumbturn  
 Hinge Bolts  
 Butt Hinge  
 Numerals \*\*  
 \*\* Supplied loose as standard

**Yale fitted as standard unless otherwise requested**

Nickel	N/A	N/A	N/A
Gold	N/A	N/A	N/A
Silver	N/A	N/A	N/A
White	N/A	N/A	N/A
Black	N/A	N/A	N/A
Polished Chrome	N/A	N/A	N/A
Polished Gold	N/A	N/A	N/A

Yale Multipoint	Silver	N/A
Yale Multipoint & Nightlatch	White	N/A
Entryguard	Chrome	N/A
Era 5 Mortice & Nightlatch	Gold	N/A
Deadbolt & Nightlatch		Not recommended as standard locking system

**2 External**  
 Door Colour: \_\_\_\_\_  
 White \_\_\_\_\_  
 Red \_\_\_\_\_  
 Black \_\_\_\_\_  
 Green \_\_\_\_\_  
 Blue \_\_\_\_\_  
 Factory Rosewood \_\_\_\_\_  
 Factory Oak \_\_\_\_\_  
 Hand Stained Rosewood \_\_\_\_\_  
 Hand Stained Oak \_\_\_\_\_


**3 Drip Bar**  
 Drip bar matched to door if not specified  
 Gold \_\_\_\_\_  
 Mill \_\_\_\_\_  
 White \_\_\_\_\_  
 Black \_\_\_\_\_  
 Red \_\_\_\_\_  
 Green \_\_\_\_\_  
 Blue \_\_\_\_\_  
 Rose \_\_\_\_\_  
 Oak \_\_\_\_\_

**2a Internal Door Colour:**  
 White (unless otherwise specified in the box below)  
 \_\_\_\_\_

Note Internal colours are either stained or colour bonded

Special Instructions if required: \_\_\_\_\_

## Tuscan One or Three



### Maximum and Minimum Frame Sizes

(Without add ons)

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	825	1971	1012	2079	825	2081	1012	2109
MDS 25/80/150	825	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	825	1987	1012	2097	825	2017	1012	2127
56mm Low Pvc	825	1999	1012	2109	825	2029	1012	2139
70mm Standard pvc	825	2015	1012	2125	825	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead times of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard


**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**



## Vanquish



*Colours are available as colourbond only*

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	900	1971	1012	2079	900	2001	1012	2109
MDS 25/60/150	900	1978	1012	2088	Not Compatible with Cill			
44mm Low Ali	900	1987	1012	2097	900	2017	1012	2127
56mm Low Pvc	900	1999	1012	2109	900	2029	1012	2139
70mm Standard pvc	900	2015	1012	2125	900	2045	1012	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead time of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard


**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**



## Volante



*Colours are available as colourbond only*

	No Cill				Inc Cill			
	Minimum		Maximum		Minimum		Maximum	
	Width	Height	Width	Height	Width	Height	Width	Height
Mxs 15mm Low Thresh	860	1971	982	2079	860	2001	985	2109
MDS 25/80/150	860	1978	985	2088	Not Compatible with Cill			
44mm Low All	860	1987	985	2097	860	2017	985	2127
56mm Low Pvc	860	1999	985	2109	860	2029	985	2139
70mm Standard pvc	860	2015	985	2125	860	2045	985	2155

**Important notes are shown on the order form but are summarised here for your convenience:**

**Colour-bonded frames and slabs will incur an additional lead time of up to eight weeks, and surchargeable**

Stained Doors lead time is 10 working days

Orders received for above the maximum size above will automatically have chargeable add ons included to achieve the height required upto 30mm.

Open out doors do not comply to either PAS23 or PAS24.

All sidelights will be supplied separate unless stated in the special instructions.

Midrails are supplied to line through with door. Please check compatibility of all sizes. Glass designs & panels for sidelight glazing

Not all thresholds are compatible with external cills. See above for details.

We do not recommend Era 5 Mortice & Nightlatch or Deadbolt & Nightlatch as a standard locking system. We recommend the use of a multi point locking system such as the Yale or Entryguard

**PANEL sizes do not involve frames**

	Minimum		Maximum	
	Width	Height	Width	Height
Half panels	660	665	880	930
Quarter panels	430	930	660	930

**Moulded half and quarter panels are available in 28mm only**